



Mehr Etesal Safahan

شرکت مهر اتصال صفاهان

SWISSCERT
Certificate

THE MANAGEMENT SYSTEM OF
Mehr Etesal Safahan Co.

NO.05.01.01 LITE AVE./MORDEH KINIST INDUSTRIAL CITY, JAFARABAD

HAS BEEN ASSIGNED AS MEETING THE REQUIREMENT OF
ISO 14001:2004

FOR THE FOLLOWING SCOPE:
PRODUCTION OF WATER SUPPLY JOINTS UNDER PRESSURE;
FUTURE CLASSIFICATION REGARDING THE SCOPE OF THIS CERTIFICATE AND THE
APPLICABILITY OF ENVIRONMENT MANAGEMENT SYSTEMS WILL BE
RETAINED BY CONSULTING THE REGULATOR.
THIS CERTIFICATE IS VALID FROM 30 JUNE 2015 UNTIL 30 JUNE 2018
ISSUE 1, CERTIFIED WITH **100%** CERT.

DATE OF ISSUE: 30 JUNE 2015 CERTIFICATE NUMBER: 758560

TECHNICAL MANAGER

Mordeh
McMordeh

SWISSCERT
Certificate

THE MANAGEMENT SYSTEM OF
Mehr Etesal Safahan Co.

NO.05.01.01 LITE AVE./MORDEH KINIST INDUSTRIAL CITY, JAFARABAD

HAS BEEN ASSIGNED AS MEETING THE REQUIREMENT OF
OHSAS 18001:2007

FOR THE FOLLOWING SCOPE:
PRODUCTION OF WATER SUPPLY JOINTS UNDER PRESSURE;
FUTURE CLASSIFICATION REGARDING THE SCOPE OF THIS CERTIFICATE AND THE
APPLICABILITY OF ENVIRONMENT MANAGEMENT SYSTEMS WILL BE
RETAINED BY CONSULTING THE REGULATOR.
THIS CERTIFICATE IS VALID FROM 30 JUNE 2015 UNTIL 30 JUNE 2018
ISSUE 1, CERTIFIED WITH **100%** CERT.

DATE OF ISSUE: 30 JUNE 2015 CERTIFICATE NUMBER: 758560

TECHNICAL MANAGER

Mordeh
McMordeh

SWISSCERT
Certificate

THE MANAGEMENT SYSTEM OF
Mehr Etesal Safahan Co.

NO.05.01.01 LITE AVE./MORDEH KINIST INDUSTRIAL CITY, JAFARABAD

HAS BEEN ASSIGNED AS MEETING THE REQUIREMENT OF
ISO 9001:2008

FOR THE FOLLOWING SCOPE:
PRODUCTION OF WATER SUPPLY JOINTS UNDER PRESSURE;
FUTURE CLASSIFICATION REGARDING THE SCOPE OF THIS CERTIFICATE AND THE
APPLICABILITY OF ENVIRONMENT MANAGEMENT SYSTEMS WILL BE
RETAINED BY CONSULTING THE REGULATOR.
THIS CERTIFICATE IS VALID FROM 30 JUNE 2015 UNTIL 30 JUNE 2018
ISSUE 1, CERTIFIED WITH **100%** CERT.

DATE OF ISSUE: 30 JUNE 2015 CERTIFICATE NUMBER: 758560

TECHNICAL MANAGER

Mordeh
McMordeh



رابط



اتصال ماده



اتصال نر

نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
رابط	۲۰	۱۰۱۰۰۰۱	۱۰۰	۱۰۰	۲۷۷/۵۰۰
رابط	۲۵	۱۰۱۰۰۰۲	۷۰	۱۰۰	۳۶۶/۵۰۰
رابط	۳۲	۱۰۱۰۰۰۳	۴۰	۵۰	۵۷۴/۵۰۰
رابط	۴۰	۱۰۱۰۰۰۴	۴۸	۵۰	۹۷۳/۵۰۰
رابط	۵۰	۱۰۱۰۰۰۵	۲۹	۲۹	۱/۴۵۷/۵۰۰
رابط	۶۳	۱۰۱۰۰۰۶	۱۸	۲۰	۲/۱۶۷/۵۰۰
رابط	۷۵	۱۰۱۰۰۰۷	—	۱۰	۳/۸۸۶/۰۰۰
رابط	۹۰	۱۰۱۰۰۰۸	—	۸	۵/۴۳۱/۵۰۰
رابط	۱۱۰	۱۰۱۰۰۰۹	—	۴	۹/۰۴۰/۵۰۰
رابط	۱۲۵	۱۰۱۰۰۱۰	—	۳	۱۳/۰۸۶/۰۰۰
اتصال ماده	۲۰*۱/۲	۱۰۲۰۰۰۱	۱۸۰	۲۰۰	۱۸۷/۰۰۰
اتصال ماده	۲۵*۱/۲	۱۰۲۰۱۰۱	۱۰۰	۱۰۰	۲۴۵/۰۰۰
اتصال ماده	۲۵*۳/۴	۱۰۲۰۰۰۲	۱۰۰	۱۵۰	۲۴۵/۰۰۰
اتصال ماده	۳۲*۱	۱۰۲۰۰۰۳	۷۰	۱۰۰	۳۶۳/۵۰۰
اتصال ماده	۴۰*۱*۱/۴	۱۰۲۰۰۰۴	۸۰	۱۰۰	۶۱۱/۰۰۰
اتصال ماده	۵۰*۱ ۱/۲	۱۰۲۰۰۰۵	۴۸	۵۰	۹۰۳/۰۰۰
اتصال ماده	۶۳*۲	۱۰۲۰۰۰۶	۳۰	۲۵	۱/۲۸۴/۰۰۰
اتصال ماده	۷۵	۱۰۲۰۰۰۷	—	۲۰	۲/۲۴۰/۰۰۰
اتصال ماده	۹۰	۱۰۲۰۰۰۸	—	۱۰	۲/۹۳۹/۵۰۰
اتصال ماده	۱۱۰	۱۰۲۰۰۰۹	—	۸	۴/۹۴۴/۵۰۰
اتصال ماده	۱۲۵	۱۰۲۰۰۱۰	—	—	۶/۹۸۳/۵۰۰
اتصال نر	۲۰*۱/۲	۱۰۳۰۰۰۱	۱۸۰	۲۰۰	۱۷۱/۵۰۰
اتصال نر	۲۵*۱/۲	۱۰۳۰۰۰۲	۱۰۰	۱۵۰	۲۲۷/۰۰۰
اتصال نر	۲۵*۳/۴	۱۰۳۰۰۰۳	۱۰۰	۱۵۰	۲۲۷/۰۰۰
اتصال نر	۳۲*۱	۱۰۳۰۰۰۴	۶۰	۱۲۰	۳۶۴/۵۰۰
اتصال نر	۴۰*۱ ۱/۴	۱۰۳۰۰۰۵	۷۰	۷۰	۵۹۰/۵۰۰
اتصال نر	۵۰*۱ ۱/۲	۱۰۳۰۰۰۶	۴۴	۵۰	۹۱۹/۵۰۰
اتصال نر	۵۰*۲	۱۰۳۰۰۰۷	۴۰	۵۰	۹۱۹/۵۰۰
اتصال نر	۶۳*۲	۱۰۳۰۰۰۸	۲۷	۳۰	۱/۳۱۰/۰۰۰
اتصال نر	۷۵*۲ ۱/۲	۱۰۳۰۰۰۹	—	۱۶	۲/۳۳۴/۰۰۰
اتصال نر	۷۵*۲	۱۰۳۰۰۱۰	—	۱۶	۲/۳۳۴/۰۰۰
اتصال نر	۹۰	۱۰۳۰۰۱۱	—	۱۳	۳/۲۰۱/۰۰۰
اتصال نر	۱۱۰	۱۰۳۰۰۱۲	—	۷	۵/۱۹۵/۵۰۰

لیست قیمت از ۲۰ خرداد ۱۴۰۴



Mehr Etesal Safahan

شرکت مهر اتصال صفاهان

SWISSCERT
Certificate

THE MANAGEMENT SYSTEM OF
Mehr Etesal Safahan Co

NO. 85/LOT 1, 4TH AVENUE, KHAIRI INDUSTRIAL CITY, SAFABAHAN

HAS BEEN ASSIGNED AS HAVING THE REQUIREMENT OF
ISO 14001:2004

FOR THE FOLLOWING SCOPE:
PRODUCTION OF WATER SUPPLY JOINTS UNDER PRESSURE.
PRIME CLASIFICATION GRADING: THE SCOPE OF THE CERTIFICATE AND THE
APPLICABILITY OF ENVIRONMENTAL MANAGEMENT SYSTEMS MUST BE
STATED BY CONSULTING THE ORGANIZATION.
THIS CERTIFICATE IS VALID FROM 30 JUNE 2015 UNTIL 30 JUNE 2018
ISSUE 1, CERTIFIED WITH 100% CMT.

DATE OF ISSUE: 30 JUNE 2012

CERTIFICATE NUMBER: 755850

TECHNICAL MANAGER
Mehdi

Mehdi

SWISSCERT
Certificate

THE MANAGEMENT SYSTEM OF
Mehr Etesal Safahan Co

NO. 85/LOT 1, 4TH AVENUE, KHAIRI INDUSTRIAL CITY, SAFABAHAN

HAS BEEN ASSIGNED AS HAVING THE REQUIREMENT OF
OHSAS 18001:2007

FOR THE FOLLOWING SCOPE:
PRODUCTION OF WATER SUPPLY JOINTS UNDER PRESSURE.
PRIME CLASIFICATION GRADING: THE SCOPE OF THE CERTIFICATE AND THE
APPLICABILITY OF ENVIRONMENTAL MANAGEMENT SYSTEMS MUST BE
STATED BY CONSULTING THE ORGANIZATION.
THIS CERTIFICATE IS VALID FROM 30 JUNE 2015 UNTIL 30 JUNE 2018
ISSUE 1, CERTIFIED WITH 100% CMT.

DATE OF ISSUE: 30 JUNE 2012

CERTIFICATE NUMBER: 755850

TECHNICAL MANAGER
Mehdi

Mehdi

SWISSCERT
Certificate

THE MANAGEMENT SYSTEM OF
Mehr Etesal Safahan Co

NO. 85/LOT 1, 4TH AVENUE, KHAIRI INDUSTRIAL CITY, SAFABAHAN

HAS BEEN ASSIGNED AS HAVING THE REQUIREMENT OF
ISO 9001:2008

FOR THE FOLLOWING SCOPE:
PRODUCTION OF WATER SUPPLY JOINTS UNDER PRESSURE.
PRIME CLASIFICATION GRADING: THE SCOPE OF THE CERTIFICATE AND THE
APPLICABILITY OF ENVIRONMENTAL MANAGEMENT SYSTEMS MUST BE
STATED BY CONSULTING THE ORGANIZATION.
THIS CERTIFICATE IS VALID FROM 30 JUNE 2015 UNTIL 30 JUNE 2018
ISSUE 1, CERTIFIED WITH 100% CMT.

DATE OF ISSUE: 30 JUNE 2012

CERTIFICATE NUMBER: 755850

TECHNICAL MANAGER
Mehdi

Mehdi



سه راه
ساده



سه راه
ماده



زانو ساده



زانو تر

نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
سه راه ساده	۲۰	۱۰۴۰۰۰۱	۶۵	۸۰	۴۲۲/۵۰۰
سه راه ساده	۲۵	۱۰۴۰۰۰۲	۴۵	۶۰	۵۸۱/۵۰۰
سه راه ساده	۳۲	۱۰۴۰۰۰۳	۲۴	۴۰	۹۲۰/۵۰۰
سه راه ساده	۴۰	۱۰۴۰۰۰۴	۲۵	۲۸	۱/۵۸۹/۵۰۰
سه راه ساده	۵۰	۱۰۴۰۰۰۵	۱۴	۱۸	۲/۴۲۷/۰۰۰
سه راه ساده	۶۳	۱۰۴۰۰۰۶	۸	۱۰	۳/۳۵۹/۵۰۰
سه راه ساده	۷۵	۱۰۴۰۰۰۷	—	۷	۵/۹۵۳/۵۰۰
سه راه ساده	۹۰	۱۰۴۰۰۰۸	—	۴	۸/۸۰۸/۵۰۰
سه راه ساده	۱۱۰	۱۰۴۰۰۰۹	—	۲	۱۵/۰۸۳/۵۰۰
سه راه ماده	۲۰*۱/۲	۱۰۵۰۰۰۱	۷۰	۱۰۰	۳۳۲/۵۰۰
سه راه ماده	۲۵*۳/۴	۱۰۵۰۰۰۲	۶۰	۸۵	۴۴۷/۵۰۰
سه راه ماده	۳۲	۱۰۵۰۰۰۳	۳۶	۵۰	۷۱۳/۵۰۰
سه راه ماده	۴۰	۱۰۵۰۰۰۴	۳۰	۴۰	۱/۱۶۴/۵۰۰
سه راه ماده	۵۰	۱۰۵۰۰۰۵	۱۸	۲۵	۱/۷۲۴/۵۰۰
سه راه ماده	۶۳	۱۰۵۰۰۰۶	۱۲	۱۶	۲/۷۵۴/۵۰۰
سه راه ماده	۷۵	۱۰۵۰۰۰۷	—	۱۰	۴/۸۲۵/۵۰۰
سه راه ماده	۹۰	۱۰۵۰۰۰۸	—	۵	۶/۳۷۶/۵۰۰
زانو ساده	۲۰	۱۰۶۰۰۰۱	۸۰	۱۰۰	۲۸۶/۵۰۰
زانو ساده	۲۵	۱۰۶۰۰۰۲	۶۰	۱۰۰	۳۸۹/۵۰۰
زانو ساده	۳۲	۱۰۶۰۰۰۳	۳۵	۵۰	۶۵۰/۵۰۰
زانو ساده	۴۰	۱۰۶۰۰۰۴	۳۷	۳۵	۱/۰۸۱/۵۰۰
زانو ساده	۵۰	۱۰۶۰۰۰۵	۲۴	۳۰	۱/۶۰۴/۵۰۰
زانو ساده	۶۳	۱۰۶۰۰۰۶	۱۲	۱۵	۲/۴۵۷/۵۰۰
زانو ساده	۷۵	۱۰۶۰۰۰۷	—	۱۰	۴/۵۵۴/۵۰۰
زانو ساده	۹۰	۱۰۶۰۰۰۸	—	۷	۶/۰۴۹/۵۰۰
زانو ساده	۱۱۰	۱۰۶۰۰۰۹	—	۴	۱۰/۰۰۱/۵۰۰
زانو تر	۲۰*۱/۲	۱۰۷۰۰۰۱	۱۵۰	۲۰۰	۱۹۱/۵۰۰
زانو تر	۲۵*۳/۴	۱۰۷۰۰۰۲	۹۵	۱۳۰	۲۴۴/۵۰۰
زانو تر	۶۳	۱۰۷۰۰۰۳	۲۰	۳۰	۱/۵۶۷/۰۰۰

لیست قیمت از ۲۰ خرداد ۱۴۰۴



Mehr Etesal Safahan

شرکت مهر اتصال صفاهان



زانو ماده



درپوش

نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
زانو ماده	۲۰*۱/۲	۱۰۸۰۰۰۱	۱۱۰	۱۵۰	۲۱۶/۵۰۰
زانو ماده	۲۵*۳/۴	۱۰۸۰۰۰۲	۱۰۰	۱۳۰	۲۸۵/۵۰۰
زانو ماده	۳۲*۱	۱۰۸۰۰۰۳	۶۵	۸۰	۴۵۹/۵۰۰
زانو ماده	۴۰	۱۰۸۰۰۰۴	۵۰	۶۰	۷۶۹/۵۰۰
زانو ماده	۵۰	۱۰۸۰۰۰۵	۳۰	۴۰	۱/۱۷۴/۵۰۰
زانو ماده	۶۳	۱۰۸۰۰۰۶	۲۰	۲۵	۱/۸۱۰/۵۰۰
زانو ماده	۹۰	۱۰۸۰۰۰۷	—	۹	۴/۰۷۲/۵۰۰
زانو چپقی	۲	۱۱۱۰۰۰۱	—	۷۰	۴۸۱/۰۰۰
درپوش	۲۰	۱۱۰۰۰۰۱	۱۸۰	۲۰۰	۱۴۶/۵۰۰
درپوش	۲۵	۱۱۰۰۰۰۲	۱۰۰	۲۰۰	۲۰۱/۰۰۰
درپوش	۳۲	۱۱۰۰۰۰۳	۷۰	۱۰۰	۳۲۶/۵۰۰
درپوش	۴۰	۱۱۰۰۰۰۴	۸۰	۱۰۰	۵۳۱/۵۰۰
درپوش	۵۰	۱۱۰۰۰۰۵	۴۸	۵۰	۷۶۰/۵۰۰
درپوش	۶۳	۱۱۰۰۰۰۶	۳۵	۳۵	۱/۱۴۰/۵۰۰
درپوش	۷۵	۱۱۰۰۰۰۷	—	۲۰	۲/۱۴۳/۵۰۰
درپوش	۹۰	۱۱۰۰۰۰۸	—	۱۰	۲/۸۲۰/۰۰۰
درپوش	۱۱۰	۱۱۰۰۰۰۹	—	۸	۴/۸۷۵/۰۰۰
درپوش	۱۲۵	۱۱۰۰۰۱۰	—	۶	۶/۹۹۶/۰۰۰
درپوش	۲	۱۱۰۰۰۱۱	—	۲۵۰	۲۳۵/۵۰۰



Mehr Etesal Safahan

شرکت مهر اتصال صفاهان



کمر بند

نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
کمر بند ۲۵	کمر بند	۱۱۲۰۰۰۱	—	۲۰۰	۱۷۷/۵۰۰
	کمر بند	۱۱۲۰۰۰۲	—	۲۰۰	۱۷۷/۵۰۰
کمر بند ۳۲	کمر بند	۱۱۳۰۰۰۱	۱۰۰	۱۰۰	۳۶۷/۵۰۰
	کمر بند	۱۱۳۰۰۰۲	۱۰۰	۱۰۰	۳۶۷/۵۰۰
کمر بند ۴۰	کمر بند	۱۱۴۰۰۰۱	۷۰	۱۰۰	۴۴۱/۵۰۰
	کمر بند	۱۱۴۰۰۰۲	۷۰	۱۰۰	۴۴۱/۵۰۰
	کمر بند	۱۱۴۰۰۰۳	۷۰	۱۰۰	۴۴۱/۵۰۰
کمر بند ۵۰	کمر بند	۱۱۵۰۰۰۱	۶۰	۸۰	۶۹۱/۵۰۰
	کمر بند	۱۱۵۰۰۰۲	۶۰	۸۰	۶۹۱/۵۰۰
	کمر بند	۱۱۵۰۰۰۳	۶۰	۸۰	۶۹۱/۵۰۰
	کمر بند	۱۱۵۰۰۰۴	—	۵۰	۶۹۱/۵۰۰
	کمر بند	۱۱۵۰۰۰۵	—	۵۰	۶۹۱/۵۰۰
کمر بند ۶۳	کمر بند	۱۱۶۰۰۰۱	۴۸	۶۰	۱/۰۰۱/۵۰۰
	کمر بند	۱۱۶۰۰۰۲	۴۸	۶۰	۱/۰۰۱/۵۰۰
	کمر بند	۱۱۶۰۰۰۳	۴۸	۶۰	۱/۰۰۱/۵۰۰
	کمر بند	۱۱۶۰۰۰۴	۲۸	۵۰	۱/۰۰۱/۵۰۰
	کمر بند	۱۱۶۰۰۰۵	۲۸	۵۰	۱/۰۰۱/۵۰۰
کمر بند ۷۵	کمر بند	۱۱۶۰۰۰۶	۲۸	۵۰	۱/۰۰۱/۵۰۰
	کمر بند	۱۱۷۰۰۰۱	۶۴	۶۰	۱/۱۲۹/۵۰۰
	کمر بند	۱۱۷۰۰۰۲	۶۴	۶۰	۱/۱۲۹/۵۰۰
	کمر بند	۱۱۷۰۰۰۳	۶۴	۶۰	۱/۱۲۹/۵۰۰
	کمر بند	۱۱۷۰۰۰۴	۴۸	۵۵	۱/۱۲۹/۵۰۰
	کمر بند	۱۱۷۰۰۰۵	۴۸	۵۵	۱/۱۲۹/۵۰۰
کمر بند ۹۰	کمر بند	۱۱۷۰۰۰۶	۴۸	۵۵	۱/۱۲۹/۵۰۰
	کمر بند	۱۱۸۰۰۰۱	۴۲	۴۰	۱/۳۴۲/۵۰۰
	کمر بند	۱۱۸۰۰۰۲	۴۲	۴۰	۱/۳۴۲/۵۰۰
	کمر بند	۱۱۸۰۰۰۳	۴۲	۴۰	۱/۳۴۲/۵۰۰
	کمر بند	۱۱۸۰۰۰۴	۳۶	۳۵	۱/۳۴۲/۵۰۰
	کمر بند	۱۱۸۰۰۰۵	۳۶	۳۵	۱/۳۴۲/۵۰۰
	کمر بند	۱۱۸۰۰۰۶	۳۶	۳۵	۱/۳۴۲/۵۰۰
کمر بند ۹۰	کمر بند	۱۱۸۰۰۰۷	—	۳۵	۱/۳۴۲/۵۰۰
	کمر بند	۹۰*۲ ۱/۲	—	۳۵	۱/۳۴۲/۵۰۰

لیست قیمت از ۲۰ خرداد ۱۴۰۴



کمر بند

نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
کمر بند	۱۱۰*۱/۲	۱۱۹۰۰۰۱	۴۲	۳۵	۱/۶۸۰/۵۰۰
کمر بند	۱۱۰*۳/۴	۱۱۹۰۰۰۲	۴۲	۳۵	۱/۶۸۰/۵۰۰
کمر بند	۱۱۰*۱	۱۱۹۰۰۰۳	۴۲	۳۵	۱/۶۸۰/۵۰۰
کمر بند	۱۱۰*۱ ۱/۴	۱۱۹۰۰۰۴	۳۶	۳۰	۱/۶۸۰/۵۰۰
کمر بند	۱۱۰*۱ ۱/۲	۱۱۹۰۰۰۵	۳۶	۳۰	۱/۶۸۰/۵۰۰
کمر بند	۱۱۰*۲	۱۱۹۰۰۰۶	۳۶	۳۰	۱/۶۸۰/۵۰۰
کمر بند	۱۱۰*۲ ۱/۲	۱۱۹۰۰۰۷	—	۳۰	۱/۶۸۰/۵۰۰
کمر بند	۱۲۵*۱/۲	۱۲۰۰۰۰۱	۳۰	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۲۵*۳/۴	۱۲۰۰۰۰۲	۳۰	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۲۵*۱	۱۲۰۰۰۰۳	۳۰	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۲۵*۱ ۱/۴	۱۲۰۰۰۰۴	۳۰	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۲۵*۱ ۱/۲	۱۲۰۰۰۰۵	۳۰	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۲۵*۲	۱۲۰۰۰۰۶	۳۰	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۲۵*۲ ۱/۲	۱۲۰۰۰۰۷	—	۳۰	۱/۸۴۲/۵۰۰
کمر بند	۱۶۰*۱/۲	۱۲۱۰۰۰۱	۱۲	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۳/۴	۱۲۱۰۰۰۲	۱۲	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۱	۱۲۱۰۰۰۳	۱۲	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۱ ۱/۴	۱۲۱۰۰۰۴	۱۲	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۱ ۱/۲	۱۲۱۰۰۰۵	۱۲	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۲	۱۲۱۰۰۰۶	۱۲	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۲ ۱/۲	۱۲۱۰۰۰۷	—	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۱۶۰*۳	۱۲۱۰۰۰۸	—	۱۶	۳/۳۸۲/۰۰۰
کمر بند	۲۰۰*۱/۲	۱۲۲۰۰۰۱	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۳/۴	۱۲۲۰۰۰۲	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۱	۱۲۲۰۰۰۳	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۱ ۱/۴	۱۲۲۰۰۰۴	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۱ ۱/۲	۱۲۲۰۰۰۵	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۲	۱۲۲۰۰۰۶	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۲ ۱/۲	۱۲۲۰۰۰۷	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۰۰*۳	۱۲۲۰۰۰۸	—	۱۵	۴/۲۰۱/۰۰۰
کمر بند	۲۵۰*۱/۲	۱۲۳۰۰۰۱	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۳/۴	۱۲۳۰۰۰۲	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۱	۱۲۳۰۰۰۳	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۱ ۱/۴	۱۲۳۰۰۰۴	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۱ ۱/۲	۱۲۳۰۰۰۵	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۲	۱۲۳۰۰۰۶	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۲ ۱/۲	۱۲۳۰۰۰۷	—	۱۲	۵/۵۹۸/۰۰۰
کمر بند	۲۵۰*۳	۱۲۳۰۰۰۸	—	۱۲	۵/۵۹۸/۰۰۰



رابط فلنجدار


نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
رابط فلنجدار	۶۳	۱۲۴۰۰۰۱	—	۱۰	۴/۱۹۹/۰۰۰
رابط فلنجدار	۷۵	۱۲۴۰۰۰۲	—	۱۰	۵/۳۷۲/۰۰۰
رابط فلنجدار	۹۰*۳	۱۲۴۰۰۰۳	—	۶	۷/۱۰۵/۰۰۰
رابط فلنجدار	۹۰*۴	۱۲۴۰۰۰۴	—	۶	۸/۴۱۶/۰۰۰
رابط فلنجدار	۱۱۰*۴	۱۲۴۰۰۰۵	—	۶	۹/۶۵۳/۰۰۰
رابط فلنجدار	۱۲۵*۵	۱۲۴۰۰۰۶	—	۴	۱۴/۷۴۹/۰۰۰
رابط تبدیلی	۲۵*۲۰	۱۲۴۰۰۰۷	۸۰	۱۰۰	۳۲۷/۰۰۰
رابط تبدیلی	۳۲*۲۰	۱۲۴۰۰۰۸	۶۰	۷۰	۴۱۰/۰۰۰
رابط تبدیلی	۳۲*۲۵	۱۲۴۰۰۰۹	۵۰	۷۰	۴۷۴/۰۰۰
رابط تبدیلی	۴۰*۳۲	۱۲۴۰۰۱۰	۵۰	۶۰	۷۷۴/۰۰۰
رابط تبدیلی	۵۰*۳۲	۱۲۴۰۰۱۱	۳۵	۴۰	۱/۲۲۱/۰۰۰
رابط تبدیلی	۵۰*۴۰	۱۲۴۰۰۱۲	۳۰	۴۰	۱/۲۲۱/۰۰۰
رابط تبدیلی	۶۳*۳۲	۱۲۴۰۰۱۳	۲۳	۳۰	۱/۳۶۸/۰۰۰
رابط تبدیلی	۶۳*۴۰	۱۲۴۰۰۱۴	۲۰	۳۰	۱/۵۷۴/۰۰۰
رابط تبدیلی	۶۳*۵۰	۱۲۴۰۰۱۵	۱۸	۲۵	۱/۷۹۶/۰۰۰
رابط تبدیلی	۷۵*۶۳	۱۲۴۰۰۱۶	—	۱۵	۳/۱۴۴/۰۰۰
رابط تبدیلی	۹۰*۶۳	۱۲۴۰۰۱۷	—	۱۰	۴/۲۷۳/۰۰۰
رابط تبدیلی	۹۰*۷۵	۱۲۴۰۰۱۸	—	۱۰	۴/۹۳۲/۰۰۰
رابط تبدیلی	۱۱۰*۶۳	۱۲۴۰۰۱۹	—	۶	۶/۴۶۴/۰۰۰
رابط تبدیلی	۱۱۰*۷۵	۱۲۴۰۰۲۰	—	۶	۶/۴۶۴/۰۰۰
رابط تبدیلی	۱۱۰*۹۰	۱۲۴۰۰۲۱	—	۶	۷/۳۴۰/۰۰۰
رابط تبدیلی	۱۲۵*۱۱۰	۱۲۴۰۰۲۲	—	۳	۱۱/۶۱۰/۰۰۰
سه راه تبدیلی	۲۵*۲۰*۲۵	۱۳۰۰۰۰۱	—	۶۰	۵۱۱/۰۰۰
سه راه تبدیلی	۳۲*۲۰*۳۲	۱۳۰۰۰۰۲	—	۶۰	۷۴۹/۰۰۰
سه راه تبدیلی	۳۲*۲۵*۳۲	۱۳۰۰۰۰۳	—	۵۰	۷۸۵/۰۰۰





Mehr Etesal Safahan

شرکت مهر اتصال صفاهان



نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
فلنج جوشی	۶*۶۳	۱۰۹۰۰۰۱	—	۱۰۰	۱۸۳/۰۰۰
فلنج جوشی	۱۰*۶۳	۱۰۹۰۰۰۲	—	۱۰۰	۲۰۱/۰۰۰
فلنج جوشی	۶*۷۵	۱۰۹۰۰۰۳	—	۱۰۰	۲۷۹/۰۰۰
فلنج جوشی	۱۰*۷۵	۱۰۹۰۰۰۴	—	۱۰۰	۳۱۷/۰۰۰
فلنج جوشی	۶*۹۰	۱۰۹۰۰۰۵	—	۵۰	۴۱۱/۰۰۰
فلنج جوشی	۱۰*۹۰	۱۰۹۰۰۰۶	—	۵۰	۴۷۶/۰۰۰
فلنج جوشی	۶*۱۱۰	۱۰۹۰۰۰۷	—	۳۰	۶۱۳/۰۰۰
فلنج جوشی	۱۰*۱۱۰	۱۰۹۰۰۰۸	—	۳۰	۷۳۱/۰۰۰
فلنج جوشی	۶*۱۲۵	۱۰۹۰۰۰۹	—	۳۰	۶۲۵/۰۰۰
فلنج جوشی	۱۰*۱۲۵	۱۰۹۰۰۱۰	—	۳۰	۷۷۱/۰۰۰
فلنج جوشی	۶*۱۶۰	۱۰۹۰۰۱۱	—	۱۲	۱/۱۳۸/۰۰۰
فلنج جوشی	۱۰*۱۶۰	۱۰۹۰۰۱۲	—	۱۲	۱/۲۸۵/۰۰۰
فلنج جوشی	۶*۲۰۰	۱۰۹۰۰۱۳	—	۹	۲/۰۴۷/۰۰۰
فلنج جوشی	۱۰*۲۰۰	۱۰۹۰۰۱۴	—	۹	۲/۹۷۰/۰۰۰
فلنج جوشی	۶*۲۵۰	۱۰۹۰۰۱۵	—	۵	۳/۸۲۹/۰۰۰
فلنج جوشی	۱۰*۲۵۰	۱۰۹۰۰۱۶	—	۵	۴/۳۶۹/۰۰۰
زانو ۹۰° جوشی	۶*۹۰	۱۴۰۰۰۰۱	—	۲۰	۵۹۷/۰۰۰
زانو ۹۰° جوشی	۱۰*۹۰	۱۴۰۰۰۰۲	—	۲۰	۷۸۱/۰۰۰
زانو ۹۰° جوشی	۶*۱۱۰	۱۴۰۰۰۰۳	—	۱۰	۱/۱۵۷/۰۰۰
زانو ۹۰° جوشی	۱۰*۱۱۰	۱۴۰۰۰۰۴	—	۱۰	۱/۳۴۸/۰۰۰
زانو ۹۰° جوشی	۶*۱۲۵	۱۴۰۰۰۰۵	—	۶	۱/۲۵۴/۰۰۰
زانو ۹۰° جوشی	۱۰*۱۲۵	۱۴۰۰۰۰۶	—	۶	۱/۸۷۰/۰۰۰
زانو ۹۰° جوشی	۶*۱۶۰	۱۴۰۰۰۰۷	—	۴	۲/۶۸۷/۰۰۰
زانو ۹۰° جوشی	۱۰*۱۶۰	۱۴۰۰۰۰۸	—	۴	۳/۴۷۰/۰۰۰
زانو ۹۰° جوشی	۶*۲۰۰	۱۴۰۰۰۰۹	—	۴	۴/۸۰۵/۰۰۰
زانو ۹۰° جوشی	۱۰*۲۰۰	۱۴۰۰۰۱۰	—	۴	۵/۹۳۰/۰۰۰
زانو ۴۵° جوشی	۶*۹۰	۱۵۰۰۰۰۱	—	۲۵	۴۰۷/۹۵۰
زانو ۴۵° جوشی	۱۰*۹۰	۱۵۰۰۰۰۲	—	۲۵	۵۸۷/۰۰۰
زانو ۴۵° جوشی	۶*۱۱۰	۱۵۰۰۰۰۳	—	۱۵	۷۱۷/۰۰۰
زانو ۴۵° جوشی	۱۰*۱۱۰	۱۵۰۰۰۰۴	—	۱۵	۹۶۷/۰۰۰
زانو ۴۵° جوشی	۶*۱۲۵	۱۵۰۰۰۰۵	—	۸	۱/۰۳۱/۰۰۰
زانو ۴۵° جوشی	۱۰*۱۲۵	۱۵۰۰۰۰۶	—	۸	۱/۴۷۷/۰۰۰
زانو ۴۵° جوشی	۶*۱۶۰	۱۵۰۰۰۰۷	—	۵	۱/۹۵۰/۰۰۰
زانو ۴۵° جوشی	۱۰*۱۶۰	۱۵۰۰۰۰۸	—	۵	۲/۴۷۵/۰۰۰
زانو ۴۵° جوشی	۶*۲۰۰	۱۵۰۰۰۰۹	—	۴	۳/۷۹۵/۰۰۰
زانو ۴۵° جوشی	۱۰*۲۰۰	۱۵۰۰۰۱۰	—	۴	۴/۴۹۲/۰۰۰

فلنج جوشی



زانو جوشی ۹۰°

زانو جوشی ۴۵°



Mehr Etesal Safahan

شرکت مهر اتصال صفاهان



نام محصول	اندازه mm/inch	کد	تعداد در کارتن	تعداد در کیسه	مبلغ فروش
سه راه جوشی	۹۰*۶	۱۶۰۰۰۱	—	۱۲	۸۳۵/۷۰۰
سه راه جوشی	۹۰*۱۰	۱۶۰۰۰۲	—	۱۲	۱/۱۷۰/۰۰۰
سه راه جوشی	۱۱۰*۶	۱۶۰۰۰۳	—	۴	۱/۲۳۰/۰۰۰
سه راه جوشی	۱۱۰*۱۰	۱۶۰۰۰۴	—	۴	۱/۸۳۷/۰۰۰
سه راه جوشی	۱۲۵*۶	۱۶۰۰۰۵	—	۴	۱/۷۱۴/۵۰۰
سه راه جوشی	۱۲۵*۱۰	۱۶۰۰۰۶	—	۴	۲/۴۸۲/۵۰۰
سه راه جوشی	۱۶۰*۶	۱۶۰۰۰۷	—	۴	۳/۰۴۹/۵۰۰
سه راه جوشی	۱۶۰*۱۰	۱۶۰۰۰۸	—	۴	۴/۳۶۷/۵۰۰
سه راه جوشی	۲۰۰*۶	۱۶۰۰۰۹	—	۲	۵/۵۴۰/۵۰۰
سه راه جوشی	۲۰۰*۱۰	۱۶۰۰۰۸	—	۲	۷/۹۸۹/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۱۰*۹۰*۱۱۰	۱۷۰۰۰۱	—	۴	۱/۱۹۳/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۱۰*۹۰*۱۱۰	۱۷۰۰۰۲	—	۴	۱/۶۵۷/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۲۵*۹۰*۱۲۵	۱۷۰۰۰۳	—	۴	۱/۶۵۵/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۲۵*۹۰*۱۲۵	۱۷۰۰۰۴	—	۴	۲/۳۵۰/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۲۵*۱۱۰*۱۲۵	۱۷۰۰۰۵	—	۴	۱/۶۷۵/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۲۵*۱۱۰*۱۲۵	۱۷۰۰۰۶	—	۴	۲/۳۵۰/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۶۰*۹۰*۱۶۰	۱۷۰۰۰۷	—	۴	۲/۸۹۲/۵۰۰
سه راه تبدیل جوشی (آبار)	۱۶۰*۹۰*۱۶۰	۱۷۰۰۰۸	—	۴	۳/۹۹۲/۷۰۰
سه راه تبدیل جوشی (آبار)	۱۶۰*۱۱۰*۱۶۰	۱۷۰۰۰۹	—	۴	۲/۸۹۲/۵۰۰
سه راه تبدیل جوشی (آبار)	۱۶۰*۱۱۰*۱۶۰	۱۷۰۰۱۰	—	۴	۴/۰۹۷/۰۰۰
سه راه تبدیل جوشی (آبار)	۱۶۰*۱۲۵*۱۶۰	۱۷۰۰۱۱	—	۴	۲/۸۹۲/۵۰۰
سه راه تبدیل جوشی (آبار)	۱۶۰*۱۲۵*۱۶۰	۱۷۰۰۱۲	—	۴	۴/۰۹۷/۰۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۹۰*۲۰۰	۱۷۰۰۱۳	—	۲	۵/۲۰۹/۵۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۹۰*۲۰۰	۱۷۰۰۱۴	—	۲	۶/۹۵۴/۰۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۱۱۰*۲۰۰	۱۷۰۰۱۵	—	۲	۵/۱۵۱/۵۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۱۱۰*۲۰۰	۱۷۰۰۱۶	—	۲	۷/۱۹۰/۰۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۱۲۵*۲۰۰	۱۷۰۰۱۷	—	۲	۵/۱۵۱/۵۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۱۲۵*۲۰۰	۱۷۰۰۱۸	—	۲	۷/۱۹۰/۰۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۱۶۰*۲۰۰	۱۷۰۰۱۹	—	۲	۵/۱۵۱/۵۰۰
سه راه تبدیل جوشی (آبار)	۲۰۰*۱۶۰*۲۰۰	۱۷۰۰۲۰	—	۲	۷/۱۹۰/۰۰۰